

Safety Data Sheet

Product: **Ancient Musk FOANMU**

PO BOX 337
Necedah, WI 54646

Page 1 of 8

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Ancient Musk

Product/Sales No: FOANMU

UFI#

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:

INDIGO FRAGRANCE
PO BOX 337
Necedah, WI 54646

Emergency telephone number

(24 Hours) Chemtrec: 800-424-9300 (For U.S., Canada, Mexico) 703-527-3887 (International).

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Carcinogenicity, Category 2	H351 : Suspected of causing cancer
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Carcinogenicity, Category 2	H351 : Suspected of causing cancer
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms

Safety Data Sheet

Product: **Ancient Musk FOANMU**

PO BOX 337
Necedah, WI 54646

Page 2 of 8



Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P313	Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
--------------------	-----	----------------	--------------------

Safety Data Sheet

Product: **Ancient Musk FOANMU**

PO BOX 337
Necedah, WI 54646

Page 3 of 8

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	20 - 30 %	H302; H313; H400; H411
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	10 - 20 %	H316; H400; H410
5989-27-5 <i>Limonene</i>	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
118-58-1 <i>Benzyl Salicylate</i>	204-262-9	1 - 2 %	H303; H317; H320; H401; H412
121-33-5 <i>vanillin</i>	204-465-2	1 - 2 %	H303; H313; H319; H402
81-14-1 <i>Musk ketone</i>	201-328-9	1 - 2 %	H351; H400; H410
107-75-5 <i>Hydroxycitronellal</i>	203-518-7	0.1 - 1.0 %	H317; H319; H402
3407-42-9 <i>3-(5,5,6-Trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</i>	222-294-1	0.1 - 1.0 %	H361; H400; H411
91-64-5 <i>Coumarin</i>	202-086-7	0.1 - 1.0 %	H302; H317; H402
78-70-6 <i>Linalool</i>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
112-54-9 <i>Lauraldehyde</i>	203-983-6	0.1 - 1.0 %	H315; H317; H319

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.09

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

Safety Data Sheet

Product: **Ancient Musk FOANMU**

PO BOX 337
Necedah, WI 54646

Page 4 of 8

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam
Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Safety Data Sheet

Product: **Ancient Musk FOANMU**

PO BOX 337
Necedah, WI 54646

Page 5 of 8

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow(G4) - Greenish Yellow(G6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg @20 C):	0.0279
%VOC:	3.11
Specific Gravity @ 25 C:	0.9840
Density (g/mL) @ 25 C:	0.9810
Refractive Index @ 20 C:	1.4900
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3050.2633) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4980.6231) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 115.9196) May be harmful if inhaled

Safety Data Sheet

Product: **Ancient Musk FOANMU**

PO BOX 337
Necedah, WI 54646

Page 6 of 8

Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Suspected of causing cancer
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Very Toxic to aquatic life
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate			
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				

Safety Data Sheet

Product: **Ancient Musk FOANMU**

PO BOX 337
Necedah, WI 54646

Page 7 of 8

Environmentally Hazardous
Substance, Liquid, n.o.s.

9

III

UN3082

IMDG (Sea)

Environmentally Hazardous
Substance, Liquid, n.o.s.

9

III

UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

This product contains the following components:

1222-05-5 214-946-9 10 - 20 %

Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1%

beta-Myrcene (Natural Source)

Canadian Regulations

DSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

H227 : Combustible liquid

H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation

H320 : Causes eye irritation

H401 : Toxic to aquatic life

H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(TFV) Risk

(64.01) Aquatic Chronic Toxicity, Category 3

(43.13) Acute Toxicity Inhalation, Category 5

(10.00) Carcinogenicity, Category 2

(8.50) Reproductive Toxicity, Category 2

(6.38) Aquatic Chronic Toxicity, Category 2

(2.89) Sensitization, Skin, Category 1B

(1.83) Aquatic Chronic Toxicity, Category 4

(1.76) Aquatic Acute Toxicity, Category 1

(1.64) Acute Toxicity Oral, Category 5

(1.63) Skin Corrosion/Irritation, Category 3

(1.00) Acute Toxicity Dermal, Category 5

(1.00) Carcinogenicity, Category 2

Safety Data Sheet

Product: **Ancient Musk FOANMU**

PO BOX 337
Necedah, WI 54646

Page 8 of 8

Remarks

This safety data sheet is based on the properties of the material known to Indigo Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Indigo Fragrance holds no responsibility. This document is not intended for quality assurance purposes