

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Product: **Bay Rum**Necedah, WI 54646 Product#: **FOBAYR** 

Page 1 of 8

Print Date: 2023-03-02

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade Name:** Bay Rum **Product/Sales No:** FOBAYR

UFI#

#### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: INDIGO FRAGRANCE

PO BOX 337 Necedah, WI 54646

#### 1.4 Emergency telephone number

(24 Hours)

Chemtrec: 800-424-9300 (for U.S., Canada, Mexico) 703-

527-3887 (International)

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Acute Toxicity, Category 2 H401: Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms





SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Product: **Bay Rum**Necedah, WI 54646 Product#: **FOBAYR** 

Page 2 of 8

Print Date: 2023-03-02

### Signal Word: Warning

#### **Hazard statements**

H227 Combustible liquid

H303 May be harmful if swallowed H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled H401 Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P235 Keep cool

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

#### 2.30ther Hazards

#### no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
125-12-2	204-727-6	10 - 20 %	H227; H316; H401	
Isobornyl	acetate			
34590-94-8	252-104-2	2 - 5 %	H227	
PPG-2 methyl ether				
93-16-3	202-224-6	2 - 5 %	H303; H317; H402	
Methyl iso	peugenol (Isoeug	genyl methyl eth	er)	
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412	
Limonene	•			
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411	
Benzyl Be	enzoate			



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Necedah, WI 54646 Product: Bay Rum
Product#: FOBAYR

Page 3 of 8

Print Date: 2023-03-02

CAS# Ingredient	EC#	Conc. Range	GHS Classification
97-53-0	202-589-1	1 - 2 %	H303; H316; H317; H319; H401
Eugenol			
101-39-3	202-938-8	1 - 2 %	H303; H317; H401
alpha-Me	thylcinnamaldeh	nyde	
15356-70-4	239-388-3	1 - 2 %	H227; H303; H315; H320; H402
Menthol			
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410
Acetyl ced	drene		
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401
4-tert-But	ylcyclohexyl ace	etate	
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401;
Cinnamal			H412
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary	ophyllene/		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin	1		
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;
delta-3-Ca	arene		H401; H411
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
106-23-0	203-376-6	0.1 - 1.0 %	H227; H303; H313; H315; H317; H319;
Citronella	1		H401
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.85

## 4. First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Product: **Bay Rum**Necedah, WI 54646 Product#: **FOBAYR** 

Page 4 of 8

Print Date: 2023-03-02

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable** Do not use a direct water jet on burning material

#### 5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Product: **Bay Rum**Necedah, WI 54646 Product#: **FOBAYR** 

Page 5 of 8

Print Date: 2023-03-02

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** 

 Component
 ACGIH
 ACGIH
 OSHA
 OSHA

 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm

**80-56-8** *pinene* 20

**127-91-3** beta Pinene 20

**34590-94-8** *PPG-2 methyl ether* 100 150 100

**13466-78-9** *delta-3-Carene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Yellow (G6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

196 F (91.11 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0505

 %VOC:
 7.84

 Specific Gravity @ 25 C:
 0.9430

 Density (g/mL) @ 25 C:
 0.9400

 Refractive Index @ 20 C:
 1.4600

 Soluble in:
 Oil



**PO BOX 337** 

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Bav Rum** Product#: FOBAYR Necedah, WI 54646

Page 6 of 8

Print Date: 2023-03-02

#### 10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. **Toxicological Information**

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4855.9658) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 116.4175) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met Aspiration hazard

#### 12. **Ecological Information**

#### 12.1 Toxicity

Acute acquatic toxicity Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

no data available **Toxicity Data on soil** Toxicity on other organisms no data available

no data available 12.2 Persistence and degradability 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Bay Rum
Product#: FOBAYR

Page 7 of 8

Print Date: 2023-03-02

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Marine Pollutant No

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

**PO BOX 337** 

Necedah, WI 54646

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated - Not Dangerous Goods

Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI

### 15. Regulatory Information

### **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations** 

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 52 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 22 ppm Methyl Eugenol (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H301: Toxic if swallowed

H302 : Harmful if swallowed H304 : May be fatal if swallowed and enters airways

H312 : Harmful in contact with skin

H313 : May be harmful in contact with skin

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation
H320 : Causes eye irritation
H300 : Very Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Product: **Bay Rum** Necedah, WI 54646 Product#: **FOBAYR** 

Page 8 of 8

Print Date: 2023-03-02

H411: Toxic to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk

(42.95) Acute Toxicity Inhalation, Category 5

(4.65) Sensitization, Skin, Category 1A

(2.60) Sensitization, Skin, Category 1B

(2.00) Sensitization, Skin, Category 1

(TFV) Risk

(9.25) Aquatic Chronic Toxicity, Category 3

(3.56) Aquatic Acute Toxicity, Category 2

(2.49) Skin Corrosion/Irritation, Category 3

(1.03) Acute Toxicity Oral, Category 5

#### Remarks

This safety data sheet is based on the properties of the material known to Indigo Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Indigo Fragrance holds no responsibility. This document is not intended for quality assurance purposes.