

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Root Beer Product#: FOROBE

Page 1 of 7 Print Date: 2023-10-11

PO BOX 337 Necedah, WI 54646

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier
Trade Name: Root Beer
Product/Sales No: FOROBE

UFI#

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Indigo Fragrances

PO BOX 337 Necedah, WI 54646

1.4 Emergency telephone number

(24 Hours)

Chemtrec: 800-424-9300 (for U.S., Canada, Mexico) 703-527-3887 (International)

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Acute Toxicity, Category 2 H401: Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Root Beer Product#: FOROBE

Page 2 of 7

Print Date: 2023-10-11

PO BOX 337 Necedah, WI 54646







Signal Word: Danger

Hazard statements

H227 Combustible liquid

H303 May be harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H361 Suspected of damaging fertility or the unborn child

H401 Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention
P310 Immediately call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Root Beer Product#: FOROBE

Page 3 of 7 Print Date: 2023-10-11

PO BOX 337 Necedah, WI 54646

CAS# Ingredient	EC#	Conc. Range	GHS Classification
107-41-5	203-489-0	40 - 50 %	H315; H319
Hexylene	Glycol		
119-36-8	204-317-7	20 - 30 %	H302; H317; H318; H361; H402; H412
Methyl Sa	licylate		
104-45-0	203-203-4	10 - 20 %	H227; H303; H401
p-Propylar	nisole		
4180-23-8	224-052-0	10 - 20 %	H303; H316; H317; H401
Anethole			
101-39-3	202-938-8	1 - 2 %	H303; H317; H401
alpha-Met	hylcinnamaldeh	nyde	
20665-85-4	243-956-6	1 - 2 %	H401
Vanillin iso	obutyrate		
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401;
Cinnamal			H412
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
78-70-6 <i>Linalool</i>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
	6 for full text of	GHS classification	n codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.20

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Root Beer Product#: FOROBE

Page 4 of 7

Print Date: 2023-10-11

PO BOX 337 Necedah, WI 54646

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Root Beer Product#: FOROBE

Page 5 of 7 Print Date: 2023-10-11

PO BOX 337 Necedah, WI 54646

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorlesss to Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

192 F (88.89 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0642

 %VOC:
 13.20

 Specific Gravity @ 25 C:
 0.9890

 Density (g/mL) @ 25 C:
 0.9860

 Refractive Index @ 20 C:
 1.4790

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2040.8163) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr Not classified - the classification criteria are not met

Skin corrosion / irritation Causes skin irritation



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Root Beer Product#: FOROBE

Page 6 of 7 Print Date: 2023-10-11

PO BOX 337 Necedah, WI 54646

Serious eye damage / irritation Causes serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity Suspected of damaging fertility or the unborn child

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant No

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk)Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated - Not Dangerous Goods

Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 7 of 7

Print Date: 2023-10-11

Product: Root Beer
Product#: FOROBE

PO BOX 337 Necedah, WI 54646

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

Canadian Regulations

No Warning required

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304: May be fatal if swallowed and enters airways H312: Harmful in contact with skin

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H400 : Very Toxic to aquatic life

H402: Harmful to aquatic life

Total Fractional Values

(TFV) Risk (TFV) Risk (250.00) Reproductive Toxicity, Category 2 (25.00) Sensitization, Skin, Category 1B (8.37) Eye Damage/Eye Irritation, Category 1

(8.33) Reproductive Toxicity, Category 2 (7.00) Sensitization, Skin, Category 1A

(5.93) Skin Corrosion/Irritation, Category 3 (4.73) Skin Corrosion/Irritation, Category 2

(2.45) Acute Toxicity Oral, Category 5 (1.22) Aquatic Acute Toxicity, Category 2

(1.04) Aquatic Chronic Toxicity, Category 3 (1.04) Aquatic Chronic Toxicity, Category 4

Remarks

This safety data sheet is based on the properties of the material known to Indigo Fragrances ™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Indigo Fragrances ™ holds no responsibility. This document is not intended for quality assurance purposes.