

r teh augal

Issue date: 07/06/2022

Version: 1 (07/05/2022)



### SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Sultan FOSULT

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Sultan FOSULT

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: INDIGO FRAGRANCE

Company address: PO BOX 337

Necedah, WI 54646

1.4 Emergency telephone number

(24 Hours)

Chemtrec: 800-424-9300 (for U.S., Canada, Mexico)

703-527-3887 (International)

### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4 danger: Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H227, Combustible liquid.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.



Version: 1 (07/05/2022)



### SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Sultan FOSULT

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: None


# Section 3. Composition / information on ingredients

#### 3.2 Mixtures

### Contains:

Name	CAS	%	GHS Classification
Methyl dihydrojasmonate	24851-98-7	30.60%	Aquatic Acute 3;H402
Benzyl propionate	122-63-4	17.00%	Acute Tox. 5-Aquatic Acute 2;H303-H401
Phenethyl alcohol	60-12-8	15.00%	Acute Tox. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A; H302-H313-H316-H319
1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	54464-57-2	10.00%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
Ethyl methylphenylglycidate	77-83-8	9.50%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411
LILIAL SUB		8.00%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319





Version: 1 (07/05/2022)



### SAFETY DATA SHEET

In accordance with UN GHS latest edition

Sultan FOSULT **Product:** 

2-lsobutyl-4-methyltetrahydro- 2H-pyran-4-ol	63500-71-0	6.61%	Eye Irrit. 2A;H319
d-Limonene	5989-27-5	3.40%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
Linalyl acetate	115-95-7	2.00%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402
2,2-Dimethyl-3-phenylpropanol	13351-61-6	1.02%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3- Aquatic Chronic 3;H302-H315-H319-H412
Ethyl vanillin	121-32-4	1.00%	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320- H402
2-tert-Butylcyclohexyl acetate	88-41-5	1.00%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 2- Aquatic Chronic 2;H227-H303-H316-H411
beta-Pinene	127-91-3	0.57%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
p-Mentha-1,4-diene	99-85-4	0.43%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Repr. 2-Asp. Tox 1;H226-H303-H304-H316-H361
2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde	68039-49-6	0.36%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227- H303-H315-H317-H319-H411
Hexyl salicylate	6259-76-3	0.33%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316-H317-H410
Linalool	78-70-6	0.21%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402
Ginger oil	84696-15-1, 8007-08- 7	0.10%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1-Asp. Tox 1-Aquatic Acute 2-Aquatic Chronic 2;H227-H304-H315-H317-H319-H411

### Substances with workplace exposure limits, not listed above:

Not Applicable

#### Section 4. First-aid measures

### 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Rinse mouth with water and obtain medical attention. Ingestion:

### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



Version: 1 (07/05/2022)

Issue date: 07/06/2022



### SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Sultan FOSULT

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limits: Not Applicable





Issue date: 07/06/2022 Version: 1 (07/05/2022)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Sultan FOSULT

### 8.2 Exposure Controls

### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour:
Characteristic
Odour threshold:
Not determined
PH:
Not determined
Melting point / freezing point:
Not determined
Initial boiling point / range:
Not determined

Flash point: 87 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Not determined Vapour pressure: Vapour density: Not determined 0.9920 - 1.0020 Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Auto-ignition temperature: Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information:

Refractive Index @ 20C: 1.4815 - 1.4915

Flash Point (Fahrenheit): 188 °F Calculated VOC: 0.00





Issue date: 07/06/2022 Version: 1 (07/05/2022)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Sultan FOSULT

Color Range: 1 Very Pale Yellow - 3 Very Pale Yellow

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.



Version: 1 (07/05/2022)



## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Sultan FOSULT

### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Ethyl methylphenylglycidate)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Ethyl methylphenylglycidate) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Ethyl methylphenylglycidate)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Ethyl methylphenylglycidate)	9	-	III

### 14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.



Version: 1 (07/05/2022)



## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Sultan FOSULT

**14.6 Special precautions for user:** None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

### **Section 15. Regulatory information**

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene (Naturally-Occurring)	123-35-3	0.081

### **Essential Oil Components:**

Name	CAS	%
LEMON OIL CALIFORNIA	8008-56-8	5
GINGER OIL CHINESE	8007-08-7	0.1

#### Additional formulation properties

Name	CAS	%
Ethyl vanillin	121-32-4	1

### Section 16. Other information

**Concentration % Limits:** EH A2=31.06% EH A3=2.98% EH C2=20.92% EH C3=2.08% EH C4=96.

84% SCI 2=57.36% SCI 3=4.91% EDI 2A=30.08% SS 1=10.00%

**Total Fractional Values:** EH A2=3.22 EH A3=33.58 EH C2=4.78 EH C3=47.97 EH C4=1.03 SCI


2=1.74 SCI 3=20.35 EDI 2A=3.32 SS 1=10.00

Key to revisions:

Not applicable

### Key to abbreviations:

Abbreviation	Meaning	
Acute Tox. 4	Acute Toxicity - Oral Category 4	
Acute Tox. 5	Acute Toxicity - Oral Category 5	
Acute Tox. 5	Acute Toxicity - Dermal Category 5	
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2	
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3	
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-termHazard Category 1	
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-termHazard Category 2	
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-termHazard Category 3	
Asp. Tox 1	Aspiration Hazard Category 1	
Eye Irrit. 2	Eye Damage / Irritation Category 2	
Eye Irrit. 2A	Eye Damage / Irritation Category 2A	



Version: 1 (07/05/2022)



**SAFETY DATA SHEET** 

In accordance with UN GHS latest edition

**Product: Sultan FOSULT** 

Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if sw allowed.
H303	May be harmful if sw allowed.
H304	May be fatal if sw allowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life w ith long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep aw ay from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allow ed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.





Version: 1 (07/05/2022)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: Sultan FOSULT

P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and w ash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foamfor extinction.
P391	Collect spillage.
P403/235	Store in a w ell-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.