

PO BOX 337
Necedah, WI 54646

Product: **Tinsel**
Product#: **FOTINS**

Page 2 of 8
Print Date: 2024-01-01

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Tinsel
Product/Sales No: FOTINS
UFI#

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: **INDIGO FRAGRANCE**
PO BOX 337
Necedah, WI 54646

1.4 Emergency telephone number

(24 Hours)
Chemtrec: 800-424-9300 (for U.S., Canada, Mexico)
703-527-3887 (International)

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

Classification Other

Carcinogenicity
This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

PO BOX 337
Necedah, WI 54646

Product: **Tinsel**
Product#: **FOTINS**

Page 3 of 8
Print Date: 2024-01-01

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	20 - 30 %	H302; H313; H400; H411
77-83-8 <i>Ethyl Methylphenylglycidate</i>	201-061-8	5 - 10 %	H317; H401; H411
121-33-5 <i>vanillin</i>	204-465-2	2 - 5 %	H303; H313; H319; H402
2216-51-5 <i>l-Menthol</i>	218-690-9	2 - 5 %	H303; H315; H320; H333; H402
105-54-4 <i>Ethyl butyrate</i>	203-306-4	2 - 5 %	H226; H319

Product: **Tinsel**
Product#: **FOTINS**

PO BOX 337
Necedah, WI 54646

CAS# Ingredient	EC#	Conc. Range	GHS Classification
88-41-5 <i>2-t-Butylcyclohexyl acetate</i>	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
4940-11-8 <i>Ethyl Maltol</i>	225-582-5	1 - 2 %	H302; H401
32210-23-4 <i>4-tert-Butylcyclohexyl acetate</i>	250-954-9	1 - 2 %	H303; H317; H401
10094-34-5 <i>Dimethyl Phenethyl Butyrate</i>	233-221-8	1 - 2 %	H401; H411
104-67-6 <i>gamma-Undecalactone</i>	203-225-4	1 - 2 %	H316; H402; H412
121-32-4 <i>Ethyl Vanillin</i>	204-464-7	1 - 2 %	H303; H320; H402
14073-97-3 <i>l-Menthone</i>	237-926-1	1 - 2 %	H227; H302; H315; H317; H402; H412
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	1 - 2 %	H316; H400; H410
141-78-6 <i>Ethyl acetate</i>	205-500-4	1 - 2 %	H225; H319; H336
78-70-6 <i>Linalool</i>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
115-95-7 <i>Linalyl Acetate</i>	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
5989-27-5 <i>Limonene</i>	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
491-07-6 <i>d,l-Isomenthone</i>	207-727-4	0.1 - 1.0 %	H227; H302; H315; H317; H332; H402
111-12-6 <i>Methyl-2-Octynoate</i>	203-836-6	0.1 - 1.0 %	H317; H400; H412
470-82-6 <i>Eucalyptol</i>	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
6485-40-1 <i>l-Carvone</i>	229-352-5	0.1 - 1.0 %	H227; H303; H313; H317; H401
101-86-0 <i>Hexyl cinnamal</i>	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.96

PO BOX 337
Necedah, WI 54646

Product: **Tinsel**
Product#: **FOTINS**

Page 5 of 8
Print Date: 2024-01-01

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

PO BOX 337
Necedah, WI 54646

Product: **Tinsel**
Product#: **FOTINS**

Page 6 of 8
Print Date: 2024-01-01

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

141-78-6 *Ethyl acetate*

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
	400		400

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Pale Yellow(G0-G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	157 F (69.44 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg @20 C):	1.8694
%VOC:	4.70
Specific Gravity @ 25 C:	0.9800

PO BOX 337
Necedah, WI 54646

Product: **Tinsel**
Product#: **FOTINS**

Page 7 of 8
Print Date: 2024-01-01

Density (g/mL) @ 25 C: 0.9770
Refractive Index @ 20 C: 1.4780
Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2948.0952) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 92.3395) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability	no data available
---	-------------------

PO BOX 337
Necedah, WI 54646

Product: **Tinsel**
Product#: **FOTINS**

Page 8 of 8
Print Date: 2024-01-01

12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate			
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:		
1222-05-5 214-946-9 1 - 2 %	Hexamethylindanopyran		
141-78-6 205-500-4 1 - 2 %	Ethyl acetate		

U.S. State Regulations

California Proposition 65 Warning	This product contains the following components:		
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)		

Canadian Regulations

DSL	100.00% of the components are listed or exempt.
------------	---

PO BOX 337
Necedah, WI 54646

Product: **Tinsel**
Product#: **FOTINS**

Page 9 of 8
Print Date: 2024-01-01

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H225 : Highly flammable liquid and vapor
H302 : Harmful if swallowed
H313 : May be harmful in contact with skin
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H336 : May cause drowsiness or dizziness
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

H226 : Flammable liquid and vapour
H304 : May be fatal if swallowed and enters airways
H315 : Causes skin irritation
H319 : Causes serious eye irritation
H332 : Harmful if inhaled
H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(54.14) Acute Toxicity Inhalation, Category 5
(5.50) Sensitization, Skin, Category 1B
(1.83) Aquatic Chronic Toxicity, Category 2
(1.45) Aquatic Chronic Toxicity, Category 4

(TFV) Risk
(18.48) Aquatic Chronic Toxicity, Category 3
(4.50) Sensitization, Skin, Category 1A
(1.70) Acute Toxicity Oral, Category 5
(1.30) Skin Corrosion/Irritation, Category 3

Remarks

This safety data sheet is based on the properties of the material known to Indigo Fragrances TM at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Indigo Fragrances TM holds no responsibility. This document is not intended for quality assurance purposes.