

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Velvet Sugar
Product#: FOVLVSUG

Page 1 of 8

Print Date: 2023-03-02

# 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Necedah, WI 54646

**PO BOX 337** 

**Trade Name:** Velvet Sugar **Product/Sales No:** FOVLVSUG

UFI#

## 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: INDIGO FRAGRANCE

PO BOX 337 Necedah, WI 54646

## 1.4 Emergency telephone number

(24 Hours)

Chemtrec: 800-424-9300 (for U.S., Canada, Mexico) 703-

527-3887 (International)

## 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A

H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A

H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5

H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

## 2.2 Label elements

Labelling (GHS)

**Hazard pictograms** 



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Velvet Sugar
Product#: FOVLVSUG

Page 2 of 8

Print Date: 2023-03-02



**PO BOX 337** 

Necedah, WI 54646





# **Signal Word: Warning**

## **Hazard statements**

H303 May be harmful if swallowed
H315 Causes skin irritation
H317 May cause an allergic skin reaction

H319 Causes serious eye irritation H333 May be harmful if inhaled

H361 Suspected of damaging fertility or the unborn child H411 Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

### Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.30ther Hazards

## no data available

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Conc. Ingredient EC# Range

GHS Classification



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Necedah, WI 54646 Product:

**Velvet Sugar** Product#: FOVLVSUG

Page 3 of 8 Print Date: 2023-03-02

Ingredient	EC#	Conc. Range	GHS Classification	
84-66-2	201-550-6	50 - 60 %	H316; H402	
Diethyl ph	nthalate			
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410	
Hexameth	nylindanopyran			
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411	
Tetrameth	hyl Acetyloctahy	dronaphthalenes	•	
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	
Hexyl cinr	namal			
63500-71-0	405-040-6	2 - 5 %	H319	
Isobutyl N	nethyl Tetrahydr	opyranol		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H40	
Linalool				
121-33-5	204-465-2	1 - 2 %	H303; H313; H319; H402	
vanillin				
4940-11-8	225-582-5	1 - 2 %	H302; H401	
Ethyl Malt	tol			
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H41	
Limonene	•			
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412	
Benzyl Sa	alicylate			
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411	
a-Isometh	nyl ionone			
67634-15-5	266-819-2	1 - 2 %	H315; H317; H400; H411	
Ethyl 2,2-	dimethylhydroci	nnamal		
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411	
Pentamet	hylcyclopent-3-e	ene-butanol		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402	
Linalyl Ac	etate			
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H40	
Citronello	1			
104-21-2	203-185-8	0.1 - 1.0 %	H317; H402	
p-Anisyl a	cetate			
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411	
a-Methyl-	1,3-benzodioxol	e-5-propionaldeh	nyde	
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411	
Allyl cyclo	hexylpropionate	)		
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402	
Geraniol				
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	
(ethovymi	ethoxy)cyclodod	lecane		
(CiliOXyllic				
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411	



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Necedah, WI 54646 Product: Velvet Sugar Product#: FOVLVSUG

Page 4 of 8

Print Date: 2023-03-02

CAS# Ingredient

EC# Conc.

Range

**GHS Classification** 

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.45

## 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Velvet Sugar **PO BOX 337** Product#: FOVLVSUG Necedah, WI 54646

Print Date: 2023-03-02

Page 5 of 8

### Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### Specific end uses

No information available

## **Exposure Controls/Personal Protection**

## 8.1 Control parameters

**Exposure Limits:** 

**ACGIH** Component **ACGIH OSHA OSHA** TWA ppm STEL ppm TWA ppm STEL ppm

84-66-2 5 Diethyl phthalate

**Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. **Physical and Chemical Properties**

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint (G1) to Greenish / Pale Yellow (G3)

Viscosity: Liquid

**Freezing Point:** Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): 208 F (97.78 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0985



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Velvet Sugar **PO BOX 337** Product#: FOVLVSUG Necedah, WI 54646

Page 6 of 8

Print Date: 2023-03-02

%VOC: 2.60 Specific Gravity @ 25 C: 1.0470 Density (g/mL) @ 25 C: 1.0440 Refractive Index @ 20 C: 1.4995 Soluble in: Oil

#### 10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. **Toxicological Information**

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4987.4900) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 25.1744) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Carcinogenicity Reproductive toxicity Suspected of damaging fertility or the unborn child Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met

Aspiration hazard

#### 12. **Ecological Information**

## 12.1 Toxicity

Not classified - the classification criteria are not met Acute acquatic toxicity

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available Toxicity on other organisms no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Necedah, WI 54646 Product: Velvet Sugar Product#: FOVLVSUG

Page 7 of 8

Print Date: 2023-03-02

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

1222-05-5 : (5 - 10 %) : Hexamethylindanopyran

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

# 15. Regulatory Information

## **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

84-66-2 201-550-6 50 - 60 % Diethyl phthalate

1222-05-5 214-946-9 5 - 10 % Hexamethylindanopyran

**U.S. State Regulations** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

**Canadian Regulations** 

**DSL** 99.79% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

PO BOX 337 Product: Velvet Sugar
Necedah, WI 54646 Product#: FOVLVSUG

Page 8 of 8

Print Date: 2023-03-02

198404-98-7 427-900-1 0.01 - 0.1% Cyclopropanemethanol,

1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]

815580-59-7 453-570-1 <= 9 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

94201-73-7 303-662-1 <= 2 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed and enters airways

H312 : Harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May be harmful in contact with skin
H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage
H320 : Causes eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(198.61) Acute Toxicity Inhalation, Category 5 (28.04) Aquatic Chronic Toxicity, Category 3

(8.11) Skin Corrosion/Irritation, Category 3 (5.00) Sensitization, Skin, Category 1B

(4.50) Reproductive Toxicity, Category 2 (3.00) Sensitization, Skin, Category 1

(3.00) Sensitization, Skin, Category 1A (2.79) Aquatic Chronic Toxicity, Category 2

(1.29) Skin Corrosion/Irritation, Category 2 (1.23) Eye Damage/Eye Irritation, Category 2A

(1.00) Acute Toxicity Oral, Category 5

### Remarks

This safety data sheet is based on the properties of the material known to Indigo Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Indigo Fragrance holds no responsibility. This document is not intended for quality assurance purposes.